

Snack & Food



westomatic

British Vending Excellence Since 1966

Stylish, durable, energy efficient vending machines for all your food, snack & cold beverage needs

Winter 2014

Quattro | Quinto | Duo M | Duo L



Quattro Max **A+**

9	9	7	7				
9	9	11	11				
16	16	13	13	11	11	11	11
6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6

Total = 318 products

1 TEMPERATURE



Quattro **A+**

9	9	9	9				
9	9	9	9				
9	9	11	11				
7	7	7	7				
13	13	13	13	13	13	13	13
16	16	16	16	16	16	16	16

Total = 372 products

1 TEMPERATURE



Duo M **A+**

9	9	7	7				
9	9	11	11				
16	16	13	13	11	11	11	11
6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6

Total = 318 products

2 TEMPERATURE



Duo L **A+**

9	9	7	7	7					
9	9	11	11	11					
16	16	13	13	11	11	11	11	11	11
6	6	6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6	6	6
6	6	6	6	6	6	6	6	6	6

Total = 394 products

2 TEMPERATURE

Dimensions	Quattro	Quinto	Duo M	Duo L
Height (mm)	1830	1830	1830	1830
Width (mm)	900	1050	910	1060
Depth with door (mm)	790	790	790	790
Depth without door (mm)	740	740	740	740
Minimum siting distance from back wall to rear of cabinet (mm)	100	100	100	100
Weight (kg approx)	260	330	270	340
Temperature				
Cabinet configuration temperature	6°C Stratified		Two Zones- Snack 9°C- 14°C / Food 3°C	
Electrical Services & Ratings - Power				
Voltage (Volts AC +/- 10%)			230	
Current (amps)			13	
Frequency (Hz)			50	
Energy Consumption				
Idle Phase (watt hrs / hr)	201	201	228	228
EVA / EMP Rating	A+	A++	A+	A+



Quinto

A++

9	9	9	9	9
9	9	9	9	9
9	9	9	11	11
7	7	7	7	7
13	13	13	13	13
16	16	16	16	16

Total = 464 products

1 TEMPERATURE

Configuration

Machine

Single temperature

Snacks, confectionery, cans and bottles
Adjustable up to 6°C

■ Quattro Max - 40 selections

1 TEMPERATURE

Single temperature

Snacks and confectionery
Adjustable up to 6°C

■ Quattro - 32 selections

■ Quinto - 40 selections

1 TEMPERATURE

Two temperatures

Snacks, confectionery, cans and bottles
Snack 9°C - 14°C / Food 3°C

■ 'Lower chilled zone' can be extended up or down by one shelf.

■ Optional front-facing sandwich trays ensure product labels can be easily read (Not suitable for 'deep-fill' sandwiches)

■ Duo M - 40 selections

■ Duo L - 50 selections

2 TEMPERATURE

Features

- Cool single or dual temperature zones for product versatility
- Large LCD graphics display 240 x 128 pixels on Duo models
- Full glass panel - you see the product you are about to buy
- Durable cabinet with programmable security lock*
- Lightweight product shelves with tilted upper trays for easy loading
- Near-silent slide-out refrigeration unit, accessible from the front of the machine
- Health control for fresh food and perishables on Duo models
- Power LED lighting for attractive merchandising – no more fluorescent light tubes to replace!
- All features can be set up using a programmable key. All data on sales and cash is downloadable using the same key
- A+ and A++ energy efficiency rating – low energy operating costs

* Optional accessory

Item	Description	As Standard
Audit Capability	Wireless telemetry	Optional All
Display	4 Line LCD instruction display	Standard Quattro, Quinto, Duo M & Duo L
	2 Line LCD instruction display	Standard Trio
Colour	Silver	Standard Trio, Quattro, Quinto, Duo M & Duo L
	Black	Optional Quattro, Quinto, Duo M & Duo L
Health Control	In-built 'health control' feature for food and sandwiches	Standard Duo M, Duo L & Trio
LED Lighting	LED product lighting	Standard All
Payment system	Coin & or cashless payment system	Optional All
	Lockable cashbox	Optional All
Graphics	Backlit fascia panel	Standard Duo M & Duo L
	Non backlit panel	Standard Quattro & Quinto
Secure Vend	In-built Secure Vend feature	Standard All

Trio

Size matters

At just 620 mm wide with payment pod removed, the Trio will squeeze into sites where other machines let you down!

A+

1 TEMPERATURE OR 2 TEMPERATURE




Total = 246 products

Features

- Offers maximum versatility with two temperatures ranging between 3°C to 6°C
- Unique product delivery pocket offers the highest delivery point in its category, locking into place when not in use
- Durable cabinet with programmable security lock*
- Lightweight product shelves with tilted upper trays for easy loading

- Near-silent slide-out refrigeration unit, accessible from the front of the machine
- Health control for fresh food and perishables
- Power LED lighting for attractive merchandising – no more fluorescent light tubes to replace!
- All features can be set up using a programmable key. All data on sales and cash is downloadable using the same key
- A+ energy efficiency rating – low energy operating costs

* Optional accessory



Dimensions	Trio
Height (mm)	1830
Width (mm)	765
Depth with door (mm)	900
Minimum siting distance from back wall to rear of cabinet (mm)	100
Weight (kg approx)	210
Temperature	
Cabinet configuration temperature	Two Zones Snack 9°C- 14°C / Food 3°C
Electrical Services & Ratings - Power	
Voltage (Volts AC +/- 10%)	230
Current (amps)	13
Frequency (Hz)	50
Energy Consumption	
Idle Phase (watt hrs / hr)	255
EVA / EMP Rating	A+

Easy 6000



The innovative multi-drum Easy 6000 is a caterer's dream thanks to retractable pull out drums which allow fast and easy stock replenishment.

Drums can be easily configured to hold a variety of products ranging from chilled meals to snack and confectionery items offering customers a wide choice of products.



Offer a wide choice of fresh, chilled food faster, easier, twenty four hours a day

Features

- Compact machine dimension – will fit through a 32" doorway
- Fast, easy loading with retractable pull-out drums can be cleaned in a catering dishwasher
- Large compartments – perfect for front-facing sandwich wedges
- Multi-pricing with up to 3 selling price zones per drum - Price displays show actual price
- Health control for fresh food and perishable items
- Power LED lighting for attractive merchandising – no more fluorescent light tubes to replace!
- All features can be set up using a programmable key. All data on sales and cash is downloadable using the same key
- Quiet operation - near-silent refrigeration system perfect for offices and noise sensitive locations
- Designed to bank seamlessly with the SnackPoint spiral vendor and other Westomatic machines

Easy 6000 Machine Specification

Number of Drums	8
Standard Capacity, 4 drums x 12 items & 4 drums x 24 items	144 Items
Maximum Capacity	384 Items
Height (mm)	1830
Width (mm)	910
Depth (mm)	800
Depth without door (mm)	740
Minimum siting distance from back wall	100
Weight (kg approx)	315
Electrical Services & Ratings - Power	
Voltage (Volts AC +/- 10%)	230
Current (amps)	13
Frequency (Hz)	50
Energy Consumption	
Idle Phase (watt hrs / hr)	440
EVA / EMP Rating	A
Drum configuration	
All drums can be 4, 6, 8, 12, 16, 24, or 48 compartments	
Drum height (mm)	110





westomatic

British Vending Excellence Since 1966

Phone +44 (0)1626 323100 www.westomatic.com

Why Westomatic?

We are a classic heritage family owned brand. Established in 1966 we've been living and breathing vending for over 48 years, continuously innovating to bring you the latest in vending technology.

- We are continually striving to maintain and extend our high levels of customer service and support. We won't just sell you a machine, we'll support you before, during, and after the purchase process.
- 92% of the components and materials used in the manufacture of our beverage vending machines are sourced in the UK.
- Shorter logistic paths mean reduced energy consumption and less reliance on fossil-based fuels.
- All our machines have a host of energy saving features, use recycled materials where possible and are delivered packaging-free in the UK.
- Every machine is manufactured to the highest standards using reliable tried and tested components and tested thoroughly before being despatched.
- All of our machines are delivered to your location in our own fleet of lorries within the UK. Our drivers are trained to transport and deliver your machines so that they arrive in the same perfect condition they were in when they left our factory.



Tel: +44 (0)1626 323100 | Fax: +44 (0)1626 369400
vending@westomatic.com | www.westomatic.com

Westomatic Vending Services Ltd, Units 7- 8 Forde Court, Forde Road, Newton Abbot, Devon, United Kingdom TQ12 4BT

E&OE Westomatic Vending Services Limited reserve the right to alter specifications and availability without notice.